

## POWERFUL & ROBUST NG-FW DESIGNED FOR MOST DEMANDING NETWORKS



### PRODUCT HIGHLIGHT

#### NEXT-GEN APPLIANCE

- Gigabit Interface
- Easy & User-Friendly GUI
- Zero Touch Provisioning (ZTP\*)

#### THREAT MANAGEMNT

- Next-Gen Firewall
- Next-Gen Security : IDP/IDS/WAF
- Gateway Level AV & Anti-Spam
- Geo IP Fencing
- Web & Application Filter
- Malware Prevention
- Zero day Protection(ZDP)
- SSL Inspection

#### PERSISTENT CONNECTIVITY

- Multi WAN Uplinks
- Load balancing & Link Aggregation
- Orchestrated SD-WAN Topologies(Hub & Spoke, Hub MESH, Branch MESH)
- Policy-based Routing (BGP,OSPF & Static Routes)
- Inbound Link Load Balancing (ILLB)
- High Availability (HA)
- Integrated LTE (USB and dongle LTE)
- Latency Mitigation (Intelligent path selection)

#### PRODUCTIVITY ASSURANCE


- AAA | HotSPOT Gateway
- QoS | Bandwidth Mgmt.
- SD-WAN
- User & Guest Mgmt.
- Surfing & Threat Reporting
- Traffic Analyser
- On-Appliance Reporting & Monitoring

#### SECURE ACCESS

- Secure SSL VPN (Client-Site & Site-Site)
- IPSec VPN
- Crypto VPN (Client-Site & Site-Site)



#### FRONT VIEW



Specifically designed for Mid to Large Business Enterprise, the NG500+ NGFW provides Gb performance with all the features and tools available in High end appliances, 1U rack-mountable unit and with a budget-friendly cost. Every business face similar threats and network demands as larger enterprises, and thus should be protected with the same corporate-level of Internet security and Next-Gen Firewall features, without paying the corporate-level price.

It comes with built in AAA | User Management Hotspot functionalities for individual user control on both wired and wireless network. It also helps to provide secure Internet access to guest along lawful Tracking & Filtering with detailed in-built logs and reports on every configured features. Its SD-WAN helps Simplified connectivity, and strong security for remote branches of all sizes

Performance and security: NG500+ is versatile, scalable, robust & rack mountable. With throughput that can reach 40.0+ Gbps, look no further for better value and performance to secure next generation traffic.

FEATURES	HARDWARE SPECIFICATIONS
Ethernet Interfaces (Fixed)	8 / 12 GbE
Connectivity Modules (Optional)	Yes - SFP / SFP+
Firewall Throughput	30.5 Gbps
Concurrent Sessions	2,00,00,000
New Sessions / Sec.	2,00,000
SSL VPN Throughput	4.75 Gbps
NG FW Throughput	7.0 Gbps
AV Throughput	6.25 Gbps
IPS Throughput	8.0 Gbps
Storage-SSD	256-512
Memory /Max	8 / 16 GB
Firewall Policies	Unrestricted
Maximum Connections	Unrestricted
Inbound NAT Connection	Unrestricted
Local User Database	Unlimited
Swappable Components	Power Supply -Internal (optional)
Suggested concurrent Users /Devices	600-750

# SPECIFICATIONS

## NETWORKING & SD-WAN

- Multiple WAN link with SD-WAN routing, Fail-over, and Fail-back
- Operating modes: NAT/route, transparent (bridge), and mixed mode
- Configurable LAN/WAN/DMZ Ports
- NAT & ALG Support - DNAT, SNAT, PAT
- Routing - Static, Dyn., Source, Destination & Policy based
- Policy Rule: predefined, custom & Grouping
- Authentication, Authorization & Accounting.
- Support Multicast Forwarding, VLAN Tagging
- Static, DHCP, PAP/CHAP Support

## NETWORK SECURITY

- Stateful & Deep Packet Inspection Firewall
- Application Visibility & Control.
- Demilitarized Zone (DMZ)
- Zone - based access control list.
- Access scheduling
- Flooding detection and protection
- Stops all types of DoS; Prevents DNS Spoofing & Flooding, Bypass Websites, Packet Capturing
- IP-Mac bind, MAC Whitelist / Blacklist.
- Comprehensive DNS policy

## LINK LOAD BALANCING

- Bi-directional link load balancing
- Outbound link load balancing includes policy based routing and weighted, and dynamic detection
- Inbound link load balancing supports Smart DNS & dynamic detection
- Automatic link switching based on Traffic, latency, jitter, connectivity etc.
- Link health inspection with ARP, PING, and DNS

## URL FILTERING

- Web or URL / IP / Geography / Keyword / Port / Application Filter
- Block predefined categories on specific time
- Create | Edit | Delete Manual Categories & Add exception
- Manually defined web filtering based on URL, web content. Key word and MIME header
- Web filtering profile override: allows admin to temporarily assign different profiles to User/IP
- Web filter local categories and category rating override
- Additional web filtering features:
  - Force Safe search
  - Exempt scanning encrypted connections on certain categories for privacy

## USER | GUEST MANAGEMENT | AAA

- ID & Password login – fixed users
- Authentication- LDAP | Radius | Local User DB
- Approval-based, Social Media & OTP based login
- BYOD Self & Voucher Registration with OTP
- Create users with auto-expiry, Renew & Block
- Seamless connectivity from Wired to W-LAN
- Auto Login /No Authentication after First Login
- Auto login based on IP & MAC or combination
- Concurrent logins, auto MAC binding
- Easy migration - import/export data
- Restrictions based on Device & OS
- Create user groups & apply policies
- Allow login only when user comes from specific segments

## BANDWIDTH MANAGEMENT | QoS

- Define enhanced quality of service (QoS)
- Max/Guaranteed bandwidth tunnels or IP/User basis
- Bandwidth allocated by time, priority, or equal bandwidth sharing
- Restrict users based on data, b/w & time
- Individual and shared bandwidth quota
- Contention ratio based bandwidth allocation.
- Schedule based committed & burstable b/w.
- Configure multiple b/w policy on a user at different hours of day

## VIRTUAL PRIVATE NETWORK

- Modes: Site-to-Site, Remote Access VPN
- SSL VPN - TCP/UDP tunnelling with failover
- Encryption – 3DES, DES, AES, Blowfish
- Hash algorithms - MD5, SHA-1, SHA-2
- Authentication – pre-shared key, certificates
- Supports IKEv1 and IKEv2.
- DH groups - 1, 2, 5, 14, 15, 16, 17...
- NAT traversal & PFS support
- SSL authentication – AD, LDAP, radius, local
- Multi-layer client authentication - certificate, username/password, mac address, OTP\*
- Network access - Split and Full tunnelling
- Granular access control to all network resources
- Administrative controls - session timeout, DPD
- User and group policy enforcement
- Multicast support over SSL VPN
- View and manage IPSEC and SSL VPN connections
- Supports SSL VPN clients that run Windows, Linux, iOS & Android

## ROUTING

- Static Routing
- Dynamic Routing
- RIP v1 / v2
- OSPF
- BGP

## INTRUSION PREVENTION

- Protocol anomaly detection, rate-based detection, custom signatures, manual, automatic push or pull signature updates, integrated threat encyclopaedia.
- IPS Actions: default, monitor, block, reset (attackers IP or victim IP, incoming interface) with expiry time.
- IDS sniffer mode
- Predefined prevention configuration.

## ANTI-VIRUS & ADVANCE THREAT PROTECTION

- Virus, Worms, Trojan detection & removal
- Spyware, Malware, Phishing, Bot & Pharming protection, Zero Day Protection (ZDP).
- Manual, automatic push or pull signature updates.
- Scans HTTP/S, FTP, SMTP/S, POP3, IMAP.
- Block files based on their type.
- Threat logs with action.
- Compressed file virus scanning.
- Spam filtering

## ATTACK DEFENCE | WAF

- Abnormal protocol attack defence.
- Anti DoS / DDoS, including SYN Flood, UDP Flood, DNS Query Flood defence, TCP fragment, ICMP fragment etc.
- ARP attack defence

## DATA LEAKAGE PREVENTION

- Restricts file upload over HTTP, FTP, P2P and other file sharing applications.
- Blocks file transfer (upload & Download) over IM like Facebook, Whats-app & other Social Sites.
- Controls file upload/download over HTTPS/SSL websites.
- Logging & Reporting in accordance to HIPAA, CIPA compliance.

## SYSTEM MANAGEMENT

- System Configuration Backup / Restore
- Auto/ Manual backup of User & Threat Logs
- Enable appliance & PMS remote access
- Set auto/manual firmware updates
- Create Child Admins and check logs
- Set NTP, SMTP Email
- Integrate Syslog, SNMP, Net-flow
- Three levels of users: Admin | Operator | Monitor
- Dynamic real-time dashboard status and drill-in monitoring widgets

## LOGS | REPORTING | MONITORING

- Real-time traffic statistic and analytics
- User Management & Account Expiry Report
- Bandwidth, Data usages & Session Report
- Web Browsing & Records surfing logs of each user
- Search logs based on User, IP, Site, Time & File Type
- Change Log Report / Activity Timeline
- Comprehensive event logs: system & admin activity audits, routing & networking, VPN, user authentications,
- User & System based overall and user wise analytics
- Real Time monitoring Tools to get visibility into network Traffic & Bandwidth consumption
- On-Appliance (Local) Logging and reporting facilities
- Reports can be exported in PDF, Word and via Email
- System information such as concurrent session, CPU, Memory and temperature
- Support traffic information collection and forwarding via Net-flow

## CAPTIVE PORTAL CAPABILITIES

- Intuitive self-service portals for users.
- Customise captive form input fields.
- Mobile/desktop responsive login page.
- Social media based login, mac based auto login.
- Create hourly and day based plans with FUP.
- Accounting based on hours, days, data transfer.

## SMS GATEWAY

- Pre-configured SMS gateway\*
- Click-n-configure custom gateway
- Facilitates different message templates

## NMS

- Centrally manage, Single Pane visibility.
- Network Monitoring & Failure Recognition
- Topology view, Data & App Activity, Ver. Upgrade.

## ALERT MANAGEMENT

- Real-time alerts to user on data consumption limit, voucher expiry etc.
- Real-time alerts to admin on link failure & Speed, Remote Access etc.
- Schedule Alerts for specific reports.

## VULNERABILITY ASSESSMENT

- Scans LAN Devices for vulnerability
- Generates summary and detailed reports of found possible threats

## CUSTOM DEVELOPMENT

- Personalized development on request\*
- Third party application Integration\*

## HIGH AVAILABILITY

- Active-Passive with state synchronizations
- Stateful Failover to Keep-Alive Sessions
- Redundant heartbeat interfaces

## HARDWARE

- Form factor- 1U
- Memory / Max - 8 / 32 GB
- SSD – 256~ 512 GB
- Modularity – Copper and Fibre Interfaces.
- 2 USB Ports, 1 VGA, 1HDMI
- Dimension-(mm)-(HxWxD)- 44x430x360
- Weight- 5.5 Kg

## POWER AND RELIABILITY

- Power – 90 ~ 264V@47–63Hz, 220W ATX
- Redundant PSU Optional
- Internal Hot Swappable-optional
- Typical Power Consumption- 80 ~100W
- Operating Temperature - (0°C ~ 40°C)
- Storage Temperature - (-20°C ~+70°C)
- Relative humidity - 10% - 90%, no condensing



# All specification and photos are subject to change without prior notice

1. Maximum throughput performance is measured under ideal test conditions using industry standard performance test tools. 2. Firewall UDP throughput performance is based on RFC 2544 guidelines. 3. All Performance values are up-to or rough guideline only and vary depending on system configuration. 3. IPS throughput (http) measured using default IPS rule set and 512KB object size. 4. VPN throughput measured using multiple tunnels with 512KB response size. 5. Testing done with multiple flows through multiple port pairs. +if all slot populated

[www.netxgate.com](http://www.netxgate.com) | [sales@netxgate.com](mailto:sales@netxgate.com) | +91-817881-3626

#621 & 628, Signature Global Mall, Sec-3,  
Vaishali, GZB, Delhi/NCR – 201012 (IN)

# 6/1, 1<sup>st</sup> Main, Vasanth Nagar  
Bangalore – 560 052 (IN)